

Project Array™ – 1000 Array

High-performance loudspeaker



To deliver extraordinary sonic performance in the finest home theater and music systems, JBL® Project Array™ models utilize technologies directly derived from the company's flagship K2® Series loudspeakers and professional recording studio monitors. Project Array models include the 1400 Array, 1000 Array and 800 Array floorstanding loudspeakers; the 880 Array center channel loudspeaker; and the 1500 Array powered subwoofer with built-in 1000-watt amplifier. The 1000 Array is a more-modestly proportioned loudspeaker that is ideal for medium- and smaller-sized home theater and music systems. This model utilizes a vertically oriented, enclosure-less Bi-Radial®-horn configuration to provide spacious, dynamic and natural sound quality.

Highlights

- Aluminum compression driver
- Titanium tweeter
- Classic JBL professional bass drivers
- Unique enclosure
- Seamless system integration

Key Specifications

- Description: Three-way, 250mm (10") floorstanding speaker
- Frequency response: 35Hz – 40kHz
- Crossover frequencies: 900Hz/8kHz
- Power handling: 200 Watts
- Sensitivity (2.83V@1m): 89dB
- Nominal impedance: 8 Ohms
- Dimensions (H x W x D): 1105mm x 311mm x 432mm (43-1/2" x 12-1/4" x 17")
- Weight: 32kg (70 lb)

Project Array™ – 1000 Array

High-performance loudspeaker



Features

- Three-way floor standing design featuring:
 - A 250mm (10") polymer-treated pulp-cone low-frequency driver with 38mm (1-1/2") copper edge-wound voice coil.
 - A 045Ti 25mm (1") pure-titanium ultrahigh-frequency compression driver.
 - A 175Nd-3 44mm (1-3/4") Aquaplas-treated aluminum-dome high-frequency compression driver.
- Utilizes a vertically oriented, enclosure-less Bi-Radial-horn configuration to provide spacious, dynamic and natural sound quality.
- Incorporates a high-performance JBL 175Nd high-frequency compression driver with an edge-wound aluminum voice coil, neodymium motor assembly and Aquaplas-treated aluminum dome, mated to a rapid-flare phase plug and the Bi-Radial-horn assembly.
- 015M transducer that features a 22mm (0.88") Mylar® diaphragm, directly mounted to the top of the Bi-Radial horn. To achieve tight, musically natural bass response, the 1000 Array employs a 250mm (10") polymer-treated pulp-cone woofer.
- Built to the same uncompromising quality and construction standards as every Project Array model, the 1000 Array is equally adept at movie soundtrack and music reproduction, with a smooth tonal balance; transparent, musically inviting midrange; and open, extended high frequencies.

Harman Consumer Group, Inc.

2, route de Tours, 72500 Château du Loir, France • 250 Crossways Park Drive, Woodbury, NY 11797, USA • 8500 Balboa Boulevard, Northridge, CA 91329, USA

www.jbl.com

H A Harman International Company

© 2007 Harman International Industries, Incorporated. All rights reserved. JBL, Bi-Radial and K2 are trademarks of Harman International Industries, Incorporated, registered in the United States and/or other countries. Project Array is a trademark of Harman International Industries, Incorporated. Mylar is a registered trademark of E.I. du Pont de Nemours and Company.

Features, specifications and appearance are subject to change without notice.