



CUSTOMER SERVICE DEPARTMENT

STUDIO MONITOR SYSTEM REFERENCE CHART

Revision C - Effective January 16, 1984

Page 1 of 3

Replaces Revision B (February 1, 1983)

MODEL	ENCLOSURE	LOW FREQUENCY	MID FREQUENCY	HIGH FREQUENCY	ULTRA HIGH FREQUENCY	NETWORKS	HORN	LENS	NOTES
4301	4510	116A		LE25-2		3103			
4301E	4509	116A		LE25-2		3103			Built in Amplifier (6001)
4301B	4510B	116H		LE26		3103			
4301BE	4509B	116H		LE26		3103			Built in Amplifier (6001)
4310	4501	123A-1	LE5-2	LE20-1		No Number			
4310 (late)	4501	2212	2105	LE20-1		3111			
4311	4511	2212	2105	LE25		3112			
4311A	4511-A	2213	LE5-2	LE25		3112A			
4311B	4511B	2213H	LE5-10	LE25-2		3112B			
4312	C4312	2213H	LE5-12	LE25-2		3112C			Sold in Mirror Imaged Pairs
4313	4513	LE111A	LE5-9	066		3113			
4313B	4513B	LE10H	LE5-9	066		3113B			
4315	4515	2203A	2108	2105	2405	3114			Dual Bass Ports
4315A	4515-1-A	2203A	2108	2105	2405	3114-A			
4315B	4515B	2203H	2108H	2105H	2405	3114A			
4320	4502	2215B		2420		3110	2307	2308	
4325	4505	2216		2420		3122	2307	2308	
4325A	4505A	2216		2420		3122A	2307	2308	



CUSTOMER SERVICE DEPARTMENT STUDIO MONITOR SYSTEM REFERENCE CHART

Revision C - Effective January 16, 1984
Replaces Revision B (February 1, 1983)

Page 2 of 3

MODEL	ENCLOSURE	LOW FREQUENCY	MID FREQUENCY	HIGH FREQUENCY	ULTRA HIGH FREQUENCY	NETWORKS	HORN	LENS	NOTES
4330	4503-0	2231A		2420		3120	2312	2308	Bi-Amp Only
4331	4503-1	2231A		2420		3131	2312	2308	
4331A	4503A-1	2231A		2420		3131A	2312	2308	Switchable for Bi-Amp
4331B	4503B-1	2231H		2420		3131A	2312	2308	Switchable for Bi-Amp
4332	4503-2	2231A		2420	2405	3132	2312	2308	Bi-Amp Only
4333	4503A	2231A		2420	2405	3133	2312	2308	
4333A	4503A-3	2231A		2420	2405	3133A	2312	2308	Switchable for Bi-Amp
4333B	4503B-3	2231H		2420	2405	3133A	2312	2308	Switchable for Bi-Amp
4340	4506-1	2231A	2121	2420	2405	3140	2307	2308	Bi-Amp Only
4341	4506-1	2231A	2121	2420	2405	3141	2307	2308	
4343	4506-3	2231A	2121	2420	2405	3143	2307	2308	Panel Moveable for Mirror Imaging
4343B	4506-B	2231H	2121H	2420	2405	3143	2307	2308	Panel Moveable for Mirror Imaging
4344	C4344	2235H	2122H	2420	2405	3144	2307	2308	Sold in Mirror Imaged Pairs
4345	C4345	2245H	2122H	2420	2405	3145	2307	2308	Sold in Mirror Imaged Pairs
4350	4504	2230 (2)	2202A	2440	2405	3107	2311	2308	Bi-Amp Only
4350A	4504-A	2231A (2)	2202A	2440	2405	3107	2311	2308	Bi-Amp Only



CUSTOMER SERVICE DEPARTMENT STUDIO MONITOR SYSTEM REFERENCE CHART

Revision C - Effective January 16, 1984

Page 3 of 3

Replaces Revision B (February 1, 1983)

MODEL	ENCLOSURE	LOW FREQUENCY	MID FREQUENCY	HIGH FREQUENCY	ULTRA HIGH FREQUENCY	NETWORKS	HORN	LENS	NOTES
4350B	4504-B	2231H (2)	2202H	2440	2405	3107	2311	2308	Bi-Amp Only
4355	C4355	2235H (2)	2202H	2441	2405	3155	2311	2308	Bi-Amp Only
4401	C4401	115H		034		N4401			
4411	C4411	128H	LE5-9	044		3109			Sold in Mirror Imaged Pairs
4430	C4430	2235H		2421A		3134	2344		Sold in Mirror Imaged Pairs
4435	C4435	2234H (2)		2421A		3135	2344		Sold in Mirror Imaged Pairs